: CABIN FLOOR PROTECTOR

Date:

Friday, 18/07/2008 1:10:22 PM

∿ User:

Julie Lecocq

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number **Estimate Number**

: 40648

: 12969

P.O. Number This Issue

Prsht Rev.

: 18/07/2008

: NC

First Issue : 38517

: //

Type

S.O. No. :

: SMALL /MED FAB

Drawing Revision Material

Due Date

Drawing Name

Part Number

Drawing Number

Project Number

: 31/07/2008

: D35745

: N/A

: A

: D3574 REV.A

Qty:

2 Um:

Each

Written By

Previous Run

Checked & Approved By

Comment

: Est Rev : A New Issue 07.07.23

EC

verified by:JLM

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description: GE PLASTICS LEXAN SHEET

MLFXS125F6002904 1.0



Comment: Qty.: 33.6000 sf(s)/Unit

lexan sheet Batch: 105330

67.2000 sf(s)

Total:

2.0



Comment: FLOW WATER JET

1-Cut as per Dwg D3574

Dwg Rev: __________ Prog Rev: A

R 8-7-23



2-Deburr if necessary

3.0 QC2 INSPECT PARTS AS THEY COME OFF MACHINE



R 8-7-23



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0

QC8



SECOND CHECK

Comment: SECOND

5.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr if necessary.



Dart Aerospace Ltd

W/O:		WORK ORDER CH	ANGES
DATE	STEP	PROCEDURE CHANGE	By Date Qty Approval Chief Eng / Prod Mgr QC Inspector
Part No	:	PAR #: Fault Category:	NCR: Yes No DQA: Date:

					QA	: N/C Closed:	Date: _	
NCR:			WORK ORD	ER NON-CONFORM	ANCE (NO	CR)		
		Description of NC		Corrective Action Sec	ction B	Vifi4i		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sig Da		Approval Chief Eng	Approval QC Inspector
•								

NOTE: Date & initial all entries

Date: Friday, 18/07/2008 1:10:22 PM User: 3 Julie Lecocq **Process Sheet Drawing Name: CABIN FLOOR PROTECTOR** Customer: CU-DAR001 Dart Helicopters Services Part Number: D35745 Job Number: 40648 Job Number: Seq. #: Description: **Machine Or Operation:** INSPECT WORK TO CURRENT STEP 6.0 QC5 09 Comment: INSPECT WORK TO CURRENT STEP PACKAGING RESOURCE #1 PACKAGING 1 7.0 Comment: PACKAGING RESOURCE #1 Identify with P/N and B/N using a permanent fine point marker, then Stock FINAL INSPECTION/W/O RELEASE 8.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE Job Completion

Dart Aerospace Ltd

				;							
W/O:			WC	ORK ORDER C	HANGES		-			·	
DATE	STEP	PR	OCEDURE CHA	NGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
				į							
				İ							
	·										
Part No		PAR #:	Fault Cate	gory:	NO	CR: Yes N	lo DQA	\:	Date:		
						QA: N/	C Closed	:	_ Date: _		
NCR:		,	WORK ORDI	ER NON-CONF	ORMANC	E (NCR)					
DATE	STEP	Description of NC	 	Corrective Action	Section B		Verifica	ation	Approval	Approval	
DATE	SIEP	Section A	Initial Chief Eng	Action Descr Chief Eng	iption	Sign & Date	Verification Section C			Chief Eng	QC Inspector
				į							
					•			:			
				4 4							

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order: 4064以
Description: Cabin Floor Protector	Part Number: D3574-5
Inspection Dwg: D3574 Rev: A	Page 1 of 2

FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø3.00	+0.006/-0.001	3,006	×		TAPE NEAD	~
7.37	+/-0.030	7.37	*			
11.00	+/-0.030	11.00	×)
15.25	+/-0.030	76.21	×			
25.87	+/-0.030	78.2G	*			
39.75	+/-0.030	3975	*			
44.75	+/-0.030	44.75	×			
58.38	+/-0.030	28.38	80			
63.50	+/-0.030	63.56	×			
65.25	+/-0.030	76.23	x			
11.87	+/-0.030	11.87	A			
14.75	+/-0.030	14.75	*			
26.00	+/-0.030	D6.26	×			
40.87	+/-0.030	40.87	*			
45.00	+/-0.030	45.00	*			
48.00	+/-0.030	48.00	×			
55.13	+/-0.030	55.13	×			_
61.25	+/-0.030	61.25	×			
61.88	+/-0.030	61.88	*			
64.63	+/-0.030	64,63	*			
-1:13	r+/-0.030	Vemore	canad	Negol		
7.63	+/-0.030	7.63	*			
11.00	+/-0.030	11.80	×			
22.50	+/-0.030	22.50	×			
35.13	+/-0.030	35.13	K			
36.50	+/-0.030	36.00	K			
40.00	+/-0.030	40.00	×		V	
41.88	+/-0.030	41.88	*		A	

Solos

06/07/03

#

DART AEROSPACE LTD	Work Order: 40649	<u>Z</u>
Description: Cabin Floor Protector	Part Number: D3574-5	;
Inspection Dwg: D3574 Rev: A	Page 2 of	2


	X	First Article	 	Prototyp	e	
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
43.63	+/-0.030	43.63	*		Tape mess	
6.75	+/-0.030	6.75	*			
9.50	+/-0.030	9,50	×			
10.38	+/-0.030	1038	*			
14.50	+/-0.030	14.50	×			
16.75	+/-0.030	16.75	X	- -		
18.94	+/-0.030	(8.44	×			
19.00	+/-0.030	14.00	*			
24.13	+/-0.030	24.B	*			
33.88	+/-0.030	33.80	×			
39.50	+/-0.030	34.56	8			
40.25	+/-0.030	40.25	R			·
43.50	+/-0.030	43.00	*		4	
46.60	+/-0.030	46.60	>		W .	

Measured by:	HB	Audited by:	7	Prototype Approval:	N/A
Date:	8-7-23	Date:	02/03	Date:	N/A

Rev	Date	Change	Revised by	Approved
Α	08.01.16	New Issue	KJ//DD حيا	
			711	4



DESIG	E	DRAWN BY	DART AEROSPACE HAWKESBURY, ONTARIO, CAN	
CHEC	ŒD	APPROVED	DRAWING NO.	REV. A
	=		D3574	SHEET 1 OF 5
DATE			TITLE	SCALE
07.0	6.08		CABIN FLOOR PROTECTOR	1:14
Α		07.06.08	NEW ISSUE	



D3574-1 CABIN FLOOR PROTECTOR (SHOWN). D3574-2 (OPPOSITE)


NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-1/-2" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8961

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3574-3 CABIN FLOOR PROTECTOR


NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-3" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8962


Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.





NO.



D3574-4 CABIN FLOOR PROTECTOR


NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-4" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8963

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3574-5 CABIN FLOOR PROTECTOR


NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-5" USING FINE POINT PERMANENT INK ON SMOOTH SIDE OF PART MARKER
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8964

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3574-6 CABIN FLOOR PROTECTOR

NOTES:

- MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-6" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8965

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.